


SP ProLevel® 300

Professional Package with IT for Flatness and Level



Content of Professional Package with IT for Flatness and Level

SP ProLevel® 300




T430 Self Aligning Rotational and Levelling Laser (BG 832500)

The T430 is the first high precision, self calibrating and self aligning laser source in the world. The laser can be completely controlled by a PC. This device is the second generation of digital laser from Status Pro. Even a self aligning with the sensors is possible just by a click in the software. The complete equipment is connected by Bluetooth so that the handling is as easy as possible.



2x R290 Laser Receiver (BG 831600)

The R290 Receiver is part of the newest generations of receivers for the rotational laserbeams, developed by Status Pro. The receiver is accurate for measurements in the range of μm . It can be used for machine alignment as well as squareness and perpendicularity measurements. The R290 Receiver in combination with the T430 Laser is a highly precise measurement system. One receiver can be used for establishing a reference plane and stabilize the laser for long lasting adjustments of your machine.



DU420 Rugged UMPC (IT 200420)

Rugged UMPC for industrial on-site.

The UMPC offers shockproof design and rubber grips.

- Shock resistant
- Water resistant

RC310 Remote Control (BG 830930)

- Remote control for the T4xx
- Remote Display of current R2xx values

The RC310 is of great practical use in most applications:

- for establishing reference lines in roll parallelism
- for adjusting the T4xx laser position
- it saves you a great deal of shoe leather on-site



R2xx mount for adapter (BG 831550)



2x Magnetic base with low profile magnet and measurement stud (BG 832525)



5x Battery Pack Li-Ion for T4xx and R2xx (BT 800071)



2x Charger for two Li-Ion batteries (BG 831680)



Launchpad Software with starter license (SW 400010)


With its newly updated Status Pro Software, the launchpad is perfectly equipped to work with the self-calibrating T430 rotation laser. Together they are an innovative combination of hard and software, enabling useful pre-adjustments for measurement and results in read-out.



ProLevel V2 Software with starter license for R2xx (SW 200030)

ProLevel V2 – Software for optimum surface measurement

- Automatically connection management, wireless via Bluetooth
- Measurement of unlimited points
- Free positioning of point coordinates
- Zeroing of three points or best-fit analysis
- Adjustment with live values
- 3D view
- Data view with all values and calculations
- One click export of all graphics and data in table format
- Easy to use touchscreen software



Rugged laser case for T4xx system (BG 990114)

Content:

- 1 BG 832500 T430 self-levelling sweep laser
- 1 BG 830930 RC310 – Remote control for T4xx Laser
- 2 BG 831600 R290 Laser Receiver, 24 mm detector, bluetooth
- 2 BG 832525 Magnetic base with low profile magnet and measurement stud
- 5 BT 800071 Rechargeable battery Li-Ion for R2xx, R5xx, D140
- 2 BG 831680 Charger for 2 Li-Ion batteries
- 1 IT 200420 DU420 rugged 10" tablet PC with protection cover
- 1 SW 400010 Software Launchpad for controlling the T4xx laser, starter license
- 1 SW 200030 Software ProLevel v2 for R2xx, starter license
- 1 BG 832320 Toolkit 3 – complete adapter kit for T4xx Laser
- 1 BT 990054 Plastic versatile box
- 1 BG 990114 Rugged laser case with foam inlays, IP65, EXCLUSIVE



Please contact us for more information.



Status Pro
maschinenmesstechnik

Status Pro Maschinenmesstechnik GmbH
Mausegatt 19 · D-44866 Bochum
Phone: + 49 (0) 2327 - 9881 - 0
Fax: + 49 (0) 2327 - 9881 - 81
www.statuspro.com · info@statuspro.com

Distributor