


# $\mu$ Level<sup>®</sup> 100

## Levelling Starter Package with IT





# Components of the Levelling Starter Package with IT

## ***μLevel***<sup>®</sup> 100 (SP 840001)

### ***μLevel***<sup>®</sup> II Inclinometer 1 μm/m, class A (SP 841100)

The precise alignment of machines is an important part of assembly and quality control. Accuracies in the range of 1 μm are often required, especially for machine tools. Status Pro offers various options for achieving the required accuracy. The μLevel II is a system for practitioners, as alignments or measurements can be carried out quickly and easily on site. Thanks to innovative temperature compensation, the system is quickly ready for use. The system is calibrated within a minute before each use and the measurement can be started; the very simple menu structure allows intuitive operation. With the help of the integrated Bluetooth connection, the system can work with various display devices such as Android smartphones or Windows-based systems.




## External Display (IT 200612)



We offer a smart phone as a external display unit for the  $\mu$ Level. This device can be used without a SIM card.

This mobile meets IP68 and MIL-STD 810G standards so it is durable enough to withstand harsh conditions. The 5" touchscreen is well protected.

## Software for remote indication on Android System (SW 200190)



The software connects two  $\mu$ Level systems at the same time. You can "zero" the data or show them a differential value.

Furthermore you can save and export your measured data in csv format to use them e.g. in a spreadsheet software.

## Charger for two batteries (BT 800090)



## 2 x Li-Ion battery (800071)



## $\mu$ Level II Case 150/200 mm (BG 990135)



### Robust case with the following contents:

- 1 x Inclinometer 1  $\mu$ m/m, class A (SP 841100)
- 1 x Ext. display (Samsung Galaxy Xcover 5), programmed (IT 200612)
- 1 x Remote display software for  $\mu$ Level (Android basis), initial licence (SW 200190)
- 1 x Charger for two batteries (BT 800090)
- 2 x Li-Ion battery (BT 800071)
- 1 x USB power supply unit, 1000 mA (BT 800087)
- 1 x Storage box - twist pack plastic (BT 990054)
- 1 x USB stick for Status Pro documents (DBPA SP USB-MICRO II)
- 1 x Certificate  $\mu$ Level II (BT 991016)
- 1 x User Guide  $\mu$ Level II (BT 991017)

Please contact us for further  
informations or questions.



Status Pro Maschinenmesstechnik GmbH  
Mausegatt 19 · D-44866 Bochum  
Phone: + 49 (0) 2327 - 9881 - 0  
Fax: + 49 (0) 2327 - 9881 - 81  
[www.statuspro.com](http://www.statuspro.com) · [info@statuspro.com](mailto:info@statuspro.com)

Distributor