


μ Level[®] 300

Differential Levelling Package with IT





Components of the Differential Levelling Package with IT

μ Level[®] 300 (SP 840003)

μ Level[®] II 2 x Inclinator 1 μ /m, class A (SP 841100)

The precise alignment of machines is an important part of assembly and quality control. Accuracies in the range of 1 μ m are often required, especially for machine tools. Status Pro offers various options for achieving the required accuracy. The μ Level II is a system for practitioners, as alignments or measurements can be carried out quickly and easily on site. Thanks to innovative temperature compensation, the system is quickly ready for use. The system is calibrated within a minute before each use and the measurement can be started; the very simple menu structure allows intuitive operation. With the help of the integrated Bluetooth connection, the system can work with various display devices such as Android smartphones or Windows-based systems.




External Display (IT 200612)



We offer a smart phone as a external display unit for the μ Level. This device can be used without a SIM card.

This mobile meets IP68 and MIL-STD 810G standards so it is durable enough to withstand harsh conditions. The 5" touch-screen is well protected.


ProLine v6 Software Starter License (SW 200203)



The software connects two μ Level systems at the same time. You can "zero" the data or show them a differential value.

Furthermore you can save and export your measured data in csv format to use them e.g. in a spreadsheet software.

Software for remote indication on Android System (SW 200190)



The software connects two μ Level systems at the same time. You can "zero" the data or show them a differential value.

Furthermore you can save and export your measured data in csv format to use them e.g. in a spreadsheet software.

Charger for two batteries (BT 800090)



4 x Li-Ion battery (800071)



µLevel II Case 150/200 mm (BG 990135)



Robust case with the following contents:

- 2 x Inclinometer 1 µm/m, class A (SP 841100)
- 1 x Ext. display (Samsung Galaxy Xcover 5), programmed (IT 200612)
- 1 x ProLine V6 software, initial licence (SW 200203)
- 1 x Sensor SW modules for ProLine V6, follow-up licence (SW 200202)
- 1 x Remote display software (Android basis), initial licence (SW 200190)
- 1 x Bluetooth USB 4.0 adapter, range up to 100 m (IT 200004#001)
- 1 x Charger for two batteries (BT 800090)
- 4 x Li-Ion battery (BT 800071)
- 1 x USB power supply unit, 1000 mA (BT 800087)
- 1 x Storage box - twist pack plastic (BT 990054)
- 1 x USB stick for Status Pro documents (DBPA SP USB-MICRO II)
- 1 x Certificate µLevel II (BT 991016)
- 1 x User Guide µLevel II (BT 991017)

Please contact us for further informations or questions.



Status Pro Maschinenmesstechnik GmbH
Mausegatt 19 · D-44866 Bochum
Phone: + 49 (0) 2327 - 9881 - 0
Fax: + 49 (0) 2327 - 9881 - 81
www.statuspro.com · info@statuspro.com

Distributor